

Release Notes

DA16200 DA16600 AWS IoT Reference

Abstract

This document contains the release notes for Dialog Semiconductor's DA16200 and DA16600 FreeRTOS Software with AWS IoT Reference, version 3.2.0.0

Contents

Abstract	1
Contents	2
Tables	2
1 Terms and Definitions	3
2 Release Data	3
3 License	3
4 Related Documentation and References	3
5 Release Description	4
5.1 Version 3.2.0.0	4
5.1.1 Overview	4
5.1.2 New and Updated Features of 3.2.0.0.....	4
5.1.3 Fixes and Improvements in 3.2.0.0	4
5.1.4 Known Limitations of 3.2.0.0	4
6 Release History	4
6.1 Version 3.1.1.1	4
6.1.1 Overview	4
6.1.2 New and Updated Features of 3.1.1.1.....	5
6.1.3 Fixes and Improvements since 3.1.1.0.....	5
6.1.4 Known Limitations of 3.1.1.1	5
Appendix A Software Versioning Rules	5
Document Revision History	7

Tables

Table 1: Information Table.....	3
Table 2: 3.2.0.0 New and Updated Features	4
Table 3: 3.2.0.0 Fixes and Improvements	4
Table 4: 3.2.0.0 Known Limitations	4
Table 5: 3.1.1.1 New and Updated Features	5
Table 6: 3.1.1.1 Fixes and Improvements	5
Table 7: 3.1.1.1 Known Limitations	5

DA16200 DA16600 AWS IoT Reference

1 Terms and Definitions

API	Application Programming Interface
OTA	Over The Air Upgrade
RTOS	Real Time Operating System
SDK	Software Development Kit
QFN	Quad Flat No-lead Package

2 Release Data

Table 1: Information Table

Software	AWS_IOT Reference 3.2.0.0 (DA16200 and DA16600 SDK v3.2.0.0 based)
Device Number	DA16200 / DA16600
Software Release Date	30 November 2021
Software Version Number	3.2.0.0
Software Release Type (Note 1)	PATCH

Note 1 Releases can be of the following types : FULL (GA), FULL (LA), ENGINEERING, PATCH or BINARY

3 License

Licenses covering this release are listed in the license.txt file in SDK docs folder.

4 Related Documentation and References

- [1] UM-WI-056, DA16xxx, FreeRTOS, Getting Started Guide, Rev 1.0, User Manual, Dialog Semiconductor.
- [2] UM-WI-046, DA16200, FreeRTOS, Programmer Guide, Rev 1.0, User Manual, Dialog Semiconductor
- [3] UM-WI-047, DA16200, FreeRTOS, EVK User Guide, Rev 1.0, User Manual, Dialog Semiconductor
- [4] UM-WI-042, DA16200, Provisioning the Mobile App, Rev 1.4, User Manual, Dialog Semiconductor
- [5] UM-WI-016, DA16200, Doorlock Application AWS IoT, Rev 1.5, User Manual, Dialog Semiconductor
- [6] UM-WI-017, DA16200, AWS IoT Server Setup, Rev 1.3, User Manual, Dialog Semiconductor
- [7] DA16200, Datasheet, Rev 3.2, Datasheet, Dialog Semiconductor.

DA16200 DA16600 AWS IoT Reference

5 Release Description

5.1 Version 3.2.0.0

5.1.1 Overview

This release note is for the AWS IoT reference which is based on SDK 3.2.0.0. It provides AWS IoT support for both the DA16200 device and the DA16600 module.

The AWS IoT reference includes improvements and new features listed in Table 2 and bug fixes and improvements listed in Table 3.

For details on all changes in SDK 3.2.0.0, please see the release notes for SDK3.2.0.0.

5.1.2 New and Updated Features of 3.2.0.0

Table 2: 3.2.0.0 New and Updated Features

Feature Number	Description
3.2.0.0 - 01	AWS IoT reference added.
3.2.0.0 - 02	NVRAM name change for saving the thing name from "AWS_THINGNAME" to "APP_THING_NAME"

5.1.3 Fixes and Improvements in 3.2.0.0

Table 3: 3.2.0.0 Fixes and Improvements

Fix Number	Description
3.2.0.0 / 01	None

5.1.4 Known Limitations of 3.2.0.0

Table 4: 3.2.0.0 Known Limitations

Issue Number	Description
3.2.0.0 :: 01	Does not support 2MB SFLASH type.

6 Release History

6.1 Version 3.1.1.1

6.1.1 Overview

This is a full release of SDK V3.1.1.1 which supports the DA16200 device. It adds DPM daemon and related functions support for the DA16200. Also, adds AWS IoT reference based on SDK V3.1.1.0, so the previous known limitations and revision history are described by release notes of the SDK V3.1.1.0.

DA16200 DA16600 AWS IoT Reference

6.1.2 New and Updated Features of 3.1.1.1

Table 5: 3.1.1.1 New and Updated Features

Feature Number	Description
3.1.1.1 - 01	AWS IoT reference added.

6.1.3 Fixes and Improvements since 3.1.1.0

Table 6: 3.1.1.1 Fixes and Improvements

Fix Number	Description
3.1.1.1 / 01	Fix JSON (3rd party library source) omission from source tree.
3.1.1.1 / 02	Fix floating point type specifier (%f) not worked.

6.1.4 Known Limitations of 3.1.1.1

Table 7: 3.1.1.1 Known Limitations

Issue Number	Description
3.1.1.1 :: 01	Not support sensor reference board feature (<code>__SUPPORT_SENSOR_REF__</code> , <code>__DOORLOCK_ON_SENSOR_REF__</code>) in <code>sys_common_features.h</code> .
3.1.1.1 :: 02	Not support doorlock reference board feature (<code>__SUPPORT_DOORLOCK_REF__</code>) in <code>sys_common_features.h</code> .
3.1.1.1 :: 03	Building SDK is not supported if the total string length of path including the project folder name exceeds 256.

Appendix A Software Versioning Rules

This describes the software version numbers and does not apply to documentation version numbers (as found in the footer of this document).

Each software version number string consists of four numbers: MAJOR. MINOR. REVISION. and ENGINEERING_REV.

#MAJOR: It is increased (by one only) if the project undergoes a major modification, for example OS changes. It usually changes only when the project sources undergo major restructuring affecting most of the repository. It is initialized at 1.

#MINOR: Used in the case of concurrent projects that for special reasons need to be spun off the major repository. It corresponds to different versions of the repository code that have to be supported concurrently. In this case each branch number corresponds to a different GIT branch. The basic

Release Note

Revision 3.2.0.0

30-Nov-2021

DA16200 DA16600 AWS IoT Reference

project has BRANCH id 0.

#REVISION: Full release versions. Each Full release increases this number by one. After the Full release, the number is increased by one again. Therefore, Project releases correspond to release numbers like X.Y.0.0, X.Y.1.0. etc. The #REVISION number is initialized at 0.

#ENGINEERING_REV: The # ENGINEERING_REV number increases by one at engineering update and thus indicates the total number of release since release the official SDK package. The ENGINEERING_VERSION number is initialized at 0.

DA16200 DA16600 AWS IoT Reference

Document Revision History

This section summarizes the changes made to this document and not to the Software that this document describes.

Revision	Date	Description
3.2.0.0	30-Nov-2021	Patch Release 3.2.0.0
3.1.1.1	17-Jun-2021	Full Release 3.1.1.1

DA16200 DA16600 AWS IoT Reference

Status Definitions

Status	Definition
DRAFT	The content of this document is under review and subject to formal approval, which may result in modifications or additions.
APPROVED or unmarked	The content of this document has been approved for publication.

Disclaimer

Unless otherwise agreed in writing, the Dialog Semiconductor products (and any associated software) referred to in this document are not designed, authorized or warranted to be suitable for use in life support, life-critical or safety-critical systems or equipment, nor in applications where failure or malfunction of a Dialog Semiconductor product (or associated software) can reasonably be expected to result in personal injury, death or severe property or environmental damage. Dialog Semiconductor and its suppliers accept no liability for inclusion and/or use of Dialog Semiconductor products (and any associated software) in such equipment or applications and therefore such inclusion and/or use is at the customer's own risk.

Information in this document is believed to be accurate and reliable. However, Dialog Semiconductor does not give any representations or warranties, express or implied, as to the accuracy or completeness of such information. Dialog Semiconductor furthermore takes no responsibility whatsoever for the content in this document if provided by any information source outside of Dialog Semiconductor.

Dialog Semiconductor reserves the right to change without notice the information published in this document, including, without limitation, the specification and the design of the related semiconductor products, software and applications. Notwithstanding the foregoing, for any automotive grade version of the device, Dialog Semiconductor reserves the right to change the information published in this document, including, without limitation, the specification and the design of the related semiconductor products, software and applications, in accordance with its standard automotive change notification process.

Applications, software, and semiconductor products described in this document are for illustrative purposes only. Dialog Semiconductor makes no representation or warranty that such applications, software and semiconductor products will be suitable for the specified use without further testing or modification. Unless otherwise agreed in writing, such testing or modification is the sole responsibility of the customer and Dialog Semiconductor excludes all liability in this respect.

Nothing in this document may be construed as a license for customer to use the Dialog Semiconductor products, software and applications referred to in this document. Such license must be separately sought by customer with Dialog Semiconductor.

All use of Dialog Semiconductor products, software and applications referred to in this document is subject to Dialog Semiconductor's [Standard Terms and Conditions of Sale](#), available on the company website (www.dialog-semiconductor.com) unless otherwise stated.

Dialog, Dialog Semiconductor and the Dialog logo are trademarks of Dialog Semiconductor Plc or its subsidiaries. All other product or service names and marks are the property of their respective owners.

© 2021 Dialog Semiconductor. All rights reserved

Contacting Dialog Semiconductor

United Kingdom (Headquarters)
Dialog Semiconductor (UK) LTD
 Phone: +44 1793 757700

Germany
Dialog Semiconductor GmbH
 Phone: +49 7021 805-0

The Netherlands
Dialog Semiconductor B.V.
 Phone: +31 73 640 8822

Email:
enquiry@diasemi.com

North America
Dialog Semiconductor Inc.
 Phone: +1 408 845 8500

Japan
Dialog Semiconductor K. K.
 Phone: +81 3 5769 5100

Taiwan
Dialog Semiconductor Taiwan
 Phone: +886 281 786 222

Web site:
www.dialog-semiconductor.com

Hong Kong
Dialog Semiconductor Hong Kong
 Phone: +852 2607 4271

Korea
Dialog Semiconductor Korea
 Phone: +82 31 785 8620

China (Shenzhen)
Dialog Semiconductor China
 Phone: +86 755 2298 6778

China (Shanghai)
Dialog Semiconductor China
 Phone: +86 21 2411 2011